

Package ‘POPInf’

February 20, 2024

Type Package

Title Assumption-Learn and Data-Adaptive Post-Prediction Inference

Version 1.0.0

Maintainer Jiacheng Miao <jiacheng.miao@wisc.edu>

Description Implementation of assumption-lean and data-adaptive post-prediction inference (POPInf), for valid and efficient statistical inference based on data predicted by machine learning. See Miao, Miao, Wu, Zhao, and Lu (2023) <[arXiv:2311.14220](https://arxiv.org/abs/2311.14220)>.

URL <https://arxiv.org/abs/2311.14220>,
<https://github.com/qlu-lab/POPInf>

Depends R (>= 3.5.0),

Imports randomForest, MASS

License GPL-3

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Jiacheng Miao [aut, cre] (<<https://orcid.org/0000-0002-4524-7408>>)

Repository CRAN

Date/Publication 2024-02-20 20:40:12 UTC

R topics documented:

A	2
est_ini	2
link_grad	3
link_Hessian	3
mean_psi	4
mean_psi_pop	5
optim_est	6
optim_weights	7
pop_M	8

psi	9
Sigma_cal	10
sim_data	11

Index	12
--------------	-----------

A	<i>Calculation of the matrix A based on single dataset</i>
---	--

Description

A function for the calculation of the matrix A based on single dataset

Usage

```
A(X, Y, quant = NA, theta, method)
```

Arguments

X	Array or DataFrame containing covariates
Y	Array or DataFrame of outcomes
quant	quantile for quantile estimation
theta	parameter theta
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

matrix A based on single dataset

est_ini	<i>Initial estimation</i>
---------	---------------------------

Description

est_ini function for initial estimation

Usage

```
est_ini(X, Y, quant = NA, method)
```

Arguments

X	Array or DataFrame containing covariates
Y	Array or DataFrame of outcomes
quant	quantile for quantile estimation
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

initial estimator

link_grad	<i>gradient of the link function</i>
-----------	--------------------------------------

Description

link_grad function for gradient of the link function

Usage

```
link_grad(t, method)
```

Arguments

t	t
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

gradient of the link function

link_Hessian	<i>Hessians of the link function</i>
--------------	--------------------------------------

Description

link_Hessian function for Hessians of the link function

Usage

```
link_Hessian(t, method)
```

Arguments

t	t
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

Hessians of the link function

mean_psi	<i>Sample expectation of psi</i>
----------	----------------------------------

Description

mean_psi function for sample expectation of psi

Usage

```
mean_psi(X, Y, theta, quant = NA, method)
```

Arguments

X	Array or DataFrame containing covariates
Y	Array or DataFrame of outcomes
theta	parameter theta
quant	quantile for quantile estimation
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

sample expectation of psi

 mean_psi_pop

Sample expectation of POP-Inf psi

Description

mean_psi_pop function for sample expectation of POP-Inf psi

Usage

```
mean_psi_pop(
  X_lab,
  X_unlab,
  Y_lab,
  Yhat_lab,
  Yhat_unlab,
  w,
  theta,
  quant = NA,
  method
)
```

Arguments

X_lab	Array or DataFrame containing observed covariates in labeled data.
X_unlab	Array or DataFrame containing observed or predicted covariates in unlabeled data.
Y_lab	Array or DataFrame of observed outcomes in labeled data.
Yhat_lab	Array or DataFrame of predicted outcomes in labeled data.
Yhat_unlab	Array or DataFrame of predicted outcomes in unlabeled data.
w	weights vector POP-Inf linear regression (d-dimensional, where d equals the number of covariates).
theta	parameter theta
quant	quantile for quantile estimation
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

sample expectation of POP-Inf psi

 optim_est

Gradient descent for obtaining estimator

Description

optim_est function for gradient descent for obtaining estimator

Usage

```
optim_est(
  X_lab,
  X_unlab,
  Y_lab,
  Yhat_lab,
  Yhat_unlab,
  w,
  theta,
  quant = NA,
  method,
  step_size = 0.1,
  max_iterations = 500,
  convergence_threshold = 1e-06
)
```

Arguments

X_lab	Array or DataFrame containing observed covariates in labeled data.
X_unlab	Array or DataFrame containing observed or predicted covariates in unlabeled data.
Y_lab	Array or DataFrame of observed outcomes in labeled data.
Yhat_lab	Array or DataFrame of predicted outcomes in labeled data.
Yhat_unlab	Array or DataFrame of predicted outcomes in unlabeled data.
w	weights vector POP-Inf linear regression (d-dimensional, where d equals the number of covariates).
theta	parameter theta
quant	quantile for quantile estimation
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".
step_size	step size for gradient descent
max_iterations	maximum of iterations for gradient descent
convergence_threshold	convergence threshold for gradient descent

Value

estimator

`optim_weights`*Gradient descent for obtaining the weight vector*

Description

`optim_weights` function for gradient descent for obtaining estimator

Usage

```
optim_weights(  
  j,  
  X_lab,  
  X_unlab,  
  Y_lab,  
  Yhat_lab,  
  Yhat_unlab,  
  w,  
  theta,  
  quant = NA,  
  method  
)
```

Arguments

<code>j</code>	<code>j</code> -th coordinate of weights vector
<code>X_lab</code>	Array or DataFrame containing observed covariates in labeled data.
<code>X_unlab</code>	Array or DataFrame containing observed or predicted covariates in unlabeled data.
<code>Y_lab</code>	Array or DataFrame of observed outcomes in labeled data.
<code>Yhat_lab</code>	Array or DataFrame of predicted outcomes in labeled data.
<code>Yhat_unlab</code>	Array or DataFrame of predicted outcomes in unlabeled data.
<code>w</code>	weights vector POP-Inf linear regression (d -dimensional, where d equals the number of covariates).
<code>theta</code>	parameter θ
<code>quant</code>	quantile for quantile estimation
<code>method</code>	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

weights

pop_M

*POP-Inf M-Estimation***Description**

pop_M function conducts post-prediction M-Estimation.

Usage

```
pop_M(
  X_lab = NA,
  X_unlab = NA,
  Y_lab,
  Yhat_lab,
  Yhat_unlab,
  alpha = 0.05,
  weights = NA,
  max_iterations = 100,
  convergence_threshold = 0.05,
  quant = NA,
  intercept = FALSE,
  focal_index = NA,
  method
)
```

Arguments

X_lab	Array or DataFrame containing observed covariates in labeled data.
X_unlab	Array or DataFrame containing observed or predicted covariates in unlabeled data.
Y_lab	Array or DataFrame of observed outcomes in labeled data.
Yhat_lab	Array or DataFrame of predicted outcomes in labeled data.
Yhat_unlab	Array or DataFrame of predicted outcomes in unlabeled data.
alpha	Specifies the confidence level as 1 - alpha for confidence intervals.
weights	weights vector POP-Inf linear regression (d-dimensional, where d equals the number of covariates).
max_iterations	Sets the maximum number of iterations for the optimization process to derive weights.
convergence_threshold	Sets the convergence threshold for the optimization process to derive weights.
quant	quantile for quantile estimation
intercept	Boolean indicating if the input covariates' data contains the intercept (TRUE if the input data contains)
focal_index	Identifies the focal index for variance reduction.
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

A summary table presenting point estimates, standard error, confidence intervals (1 - alpha), P-values, and weights.

Examples

```
data <- sim_data()
X_lab <- data$X_lab
X_unlab <- data$X_unlab
Y_lab <- data$Y_lab
Yhat_lab <- data$Yhat_lab
Yhat_unlab <- data$Yhat_unlab
pop_M(Y_lab = Y_lab, Yhat_lab = Yhat_lab, Yhat_unlab = Yhat_unlab,
      alpha = 0.05, method = "mean")
pop_M(Y_lab = Y_lab, Yhat_lab = Yhat_lab, Yhat_unlab = Yhat_unlab,
      alpha = 0.05, quant = 0.75, method = "quantile")
pop_M(X_lab = X_lab, X_unlab = X_unlab,
      Y_lab = Y_lab, Yhat_lab = Yhat_lab, Yhat_unlab = Yhat_unlab,
      alpha = 0.05, method = "ols")
```

 psi

Esimating equation

Description

psi function for esimating equation

Usage

```
psi(X, Y, theta, quant = NA, method)
```

Arguments

X	Array or DataFrame containing covariates
Y	Array or DataFrame of outcomes
theta	parameter theta
quant	quantile for quantile estimation
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

esimating equation

Sigma_cal	<i>Variance-covariance matrix of the estimation equation</i>
-----------	--

Description

Sigma_cal function for variance-covariance matrix of the estimation equation

Usage

```
Sigma_cal(
  X_lab,
  X_unlab,
  Y_lab,
  Yhat_lab,
  Yhat_unlab,
  w,
  theta,
  quant = NA,
  A_lab_inv,
  A_unlab_inv,
  method
)
```

Arguments

X_lab	Array or DataFrame containing observed covariates in labeled data.
X_unlab	Array or DataFrame containing observed or predicted covariates in unlabeled data.
Y_lab	Array or DataFrame of observed outcomes in labeled data.
Yhat_lab	Array or DataFrame of predicted outcomes in labeled data.
Yhat_unlab	Array or DataFrame of predicted outcomes in unlabeled data.
w	weights vector POP-Inf linear regression (d-dimensional, where d equals the number of covariates).
theta	parameter theta
quant	quantile for quantile estimation
A_lab_inv	Inverse of matrix A using labeled data
A_unlab_inv	Inverse of matrix A using unlabeled data
method	indicates the method to be used for M-estimation. Options include "mean", "quantile", "ols", "logistic", and "poisson".

Value

variance-covariance matrix of the estimation equation

`sim_data`*Simulate the data for testing the functions*

Description

`sim_data` function for the calculation of the matrix A

Usage

```
sim_data(r = 0.9, binary = FALSE)
```

Arguments

<code>r</code>	imputation correlation
<code>binary</code>	simulate binary outcome or not

Value

simulated data

Index

A, [2](#)

est_ini, [2](#)

link_grad, [3](#)

link_Hessian, [3](#)

mean_psi, [4](#)

mean_psi_pop, [5](#)

optim_est, [6](#)

optim_weights, [7](#)

pop_M, [8](#)

psi, [9](#)

Sigma_cal, [10](#)

sim_data, [11](#)